

405-1					
-a	D160cm	m	123.0	6	247.2m ³
-b	D180cm	m	539.6	24	1391.8m ³
-c	D200cm	m	370.4	18	1435.6m ³
-d	D220cm	m	44.4	2	184.2m ³
-e	D250cm	m	216.0	8	1451.6m ³

106-1		t	1353.85
403-1	()		
-a	HPB235 HPB300	kg	4996.2
-b	HRB335 HRB400	kg	288375.6
-c		kg	3543.2
403-2			
-a	HPB235 HPB300	kg	3856.6
-b	HRB335 HRB400	kg	489884.1
-d		kg	40635.2
403-3			
-a	HPB235 HPB300	kg	25531.1
-b	HRB335 HRB400	kg	817072.8
-c	D12	kg	78457.0
403-4			
-a	HPB235 HPB300	kg	187.6
-b	HRB335 HRB400	kg	49276.9
-e		kg	1395.0
404-1			
-a		m ³	6579.0
404-2			
-a		m ³	5670.0
410-1			
-a	C25	m ³	721.3

-b	C30	m ³	1067.2
410-2			
-a	C25	m ³	573.6
-b	C30	m ³	273.1
-c	C40	m ³	2382.0
410-6			
-a	C30	m ³	349.7
411-5			
-a	s15.24	kg	162065.2
411-6			
-a	JL32	kg	57306.1
411-7			
-a	C50	m ³	3785.7
415-2			